


No.

8800187



# THE UNITED STATES OF AMERICA

TO ALL TO WHOM THESE PRESENTS SHALL COME:

**DeKalb-Pfizer Genetics**

Whereas, THERE HAS BEEN PRESENTED TO THE  
**Secretary of Agriculture**

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED NOVEL VARIETY OF SEXUALLY REPRODUCED PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLICANT(S) FOR THE TERM OF *eighteen* YEARS FROM THE DATE OF THIS GRANT, SUBJECT TO THE PAYMENT OF THE REQUIRED FEES AND PERIODIC REPLENISHMENT OF VIABLE BASIC SEED OF THE VARIETY IN A PUBLIC REPOSITORY AS PROVIDED BY LAW, THE RIGHT TO EXCLUDE OTHERS FROM SELLING THE VARIETY, OR OFFERING IT FOR SALE, OR REPRODUCING IT, OR IMPORTING IT, OR EXPORTING IT, OR USING IT IN PRODUCING A HYBRID OR DIFFERENT VARIETY THEREFROM, TO THE EXTENT PROVIDED BY THE PLANT VARIETY PROTECTION ACT (T. 1542, AS AMENDED, 7 U.S.C. 2321 ET SEQ.)

SOYBEAN

'CX458'



In Testimony Whereof, I have hereunto set  
my hand and caused the seal of the Plant  
Variety Protection Office to be affixed  
at the City of Washington, D. C.  
this 28th day of April in  
the year of our Lord one thousand nine  
hundred and eighty-nine.

Attest:

*Kenneth H. Evans*

Commissioner

Plant Variety Protection Office  
Agricultural Marketing Service

*Clayton Yeutter*

Secretary of Agriculture

U.S. DEPARTMENT OF AGRICULTURE  
AGRICULTURAL MARKETING SERVICE

FORM APPROVED: OMB NO. 0581-0055

Application is required in order to determine if a plant variety protection certificate is to be issued (7 U.S.C. 2421). Information is held confidential until certificate is issued (7 U.S.C. 2426).

## APPLICATION FOR PLANT VARIETY PROTECTION CERTIFICATE

(Instructions on reverse)

1. NAME OF APPLICANT(S) DEKALB-PFIZER GENETICS		2. TEMPORARY DESIGNATION	3. VARIETY NAME CX458
4. ADDRESS (Street and No. or R.F.D. No., City, State, and Zip Code) 3100 Sycamore Road DeKalb, IL 60115		5. PHONE (Include area code) (815)756-7333	FOR OFFICIAL USE ONLY PVPO NUMBER 8800187
6. GENUS AND SPECIES NAME Glycine max(L.)Merrill	7. FAMILY NAME (Botanical) Leguminosae		FILING DATE July 5, 1988 TIME 9:30 <input checked="" type="checkbox"/> A.M. <input type="checkbox"/> P.M.
8. KIND NAME Soybean	9. DATE OF DETERMINATION Summer 1986		FEES RECEIVED AMOUNT FOR FILING \$ 1800.00 DATE May 31, 1988 AMOUNT FOR CERTIFICATE \$ 200.00 DATE Mar. 27, 1989
10. IF THE APPLICANT NAMED IS NOT A "PERSON," GIVE FORM OF ORGANIZATION (Corporation, partnership, association, etc.) General Partnership			12. DATE OF INCORPORATION
11. IF INCORPORATED, GIVE STATE OF INCORPORATION Illinois			
13. NAME AND ADDRESS OF APPLICANT REPRESENTATIVE(S), IF ANY, TO SERVE IN THIS APPLICATION AND RECEIVE ALL PAPERS Robert F. Sheyka C. Eric Christophersen Pfizer, Inc. DEKALB-PFIZER GENETICS 235 East 42nd Street 3100 Sycamore Road New York, NY 10017 DeKalb, IL 60115 PHONE (Include area code): 212/573-1189 815/758-9109			
14. CHECK APPROPRIATE BOX FOR EACH ATTACHMENT SUBMITTED a. <input checked="" type="checkbox"/> Exhibit A, Origin and Breeding History of the Variety (See Section 52 of the Plant Variety Protection Act.) b. <input checked="" type="checkbox"/> Exhibit B, Novelty Statement. c. <input checked="" type="checkbox"/> Exhibit C, Objective Description of Variety (Request form from Plant Variety Protection Office.) d. <input type="checkbox"/> Exhibit D, Additional Description of Variety. e. <input checked="" type="checkbox"/> Exhibit E, Statement of the Basis of Applicant's Ownership.			
15. DOES THE APPLICANT(S) SPECIFY THAT SEED OF THIS VARIETY BE SOLD BY VARIETY NAME ONLY AS A CLASS OF CERTIFIED SEED? (See Section 83(a) of the Plant Variety Protection Act.) <input type="checkbox"/> Yes (If "Yes," answer items 16 and 17 below) <input checked="" type="checkbox"/> No			
16. DOES THE APPLICANT(S) SPECIFY THAT THIS VARIETY BE LIMITED AS TO NUMBER OF GENERATIONS? <input type="checkbox"/> Yes <input type="checkbox"/> No		17. IF "YES" TO ITEM 16, WHICH CLASSES OF PRODUCTION BEYOND BREEDER SEED? <input type="checkbox"/> Foundation <input type="checkbox"/> Registered <input type="checkbox"/> Certified	
18. DID THE APPLICANT(S) PREVIOUSLY FILE FOR PROTECTION OF THE VARIETY IN THE U.S.? <input type="checkbox"/> Yes (If "Yes," give date) <input checked="" type="checkbox"/> No			
19. HAS THE VARIETY BEEN RELEASED, OFFERED FOR SALE, OR MARKETING IN THE U.S. OR OTHER COUNTRIES? Spring 1988 United States <input checked="" type="checkbox"/> Yes (If "Yes," give names of countries and dates) <input type="checkbox"/> No			
20. The applicant(s) declare(s) that a viable sample of basic seeds of this variety will be furnished with the application and will be replenished upon request in accordance with such regulations as may be applicable. The undersigned applicant(s) is (are) the owner(s) of this sexually reproduced novel plant variety, and believe(s) that the variety is distinct, uniform, and stable as required in Section 41, and is entitled to protection under the provisions of Section 42 of the Plant Variety Protection Act. Applicant(s) is (are) informed that false representation herein can jeopardize protection and result in penalties.			
SIGNATURE OF APPLICANT X Thomas B. Price			DATE 5/16/88
SIGNATURE OF APPLICANT			DATE

## ITEM 14 EXHIBIT A

BREEDING HISTORY OF CX458

SUMMER 1981 Cross Douglas X Asgrow A3127 was made.

WINTER 1981-82 F1 seed was grown in Kihei, HI, range 1, rows 41 and 42. F2 seed from F1 plants was harvested and bulked.

SUMMER 1982 The F2 population was grown in Terre Haute, IN, range 816, rows 16 thru 36. individual F2 plants were selected and thrashed individually.

SUMMER 1983 F3 plant rows were grown in Terre Haute, IN. Six single plant selections were made from range 176, row 19. F3 plants were thrashed individually.

WINTER 1983-84 The six F4 selections were grown in plant rows in Kihei, HI. F5 seed from range 17 row 65 was harvested and bulked.

SUMMER 1984 Bulk F5 seed was tested in research trials.

WINTER 1984-85 Bulk F6 bulk was increased in Kihei, HI, range 12, rows 80 thru 85.

SUMMER 1985 Bulk F7 seed was tested in research trials.

SUMMER 1986 Bulk F8 seed was tested in research trials.

4250 pounds of Breeder Seed was produced at Illiopolis, IL.

SUMMER 1987 Bulk F9 seed was tested in research and strip trials.

105,000 pounds of Foundation seed was produced at Marshall, MO.

SPRING 1988 The variety was named CX458.

8800187

Item 14 Exhibit A

Statement of Uniformity and Stability

CX458 was judged to be uniform for breeding use and testing after four generations of selfing. CX458 has been reproduced and judged uniform and stable for an additional four generations.

Statement of Variants

CX458 shows no variation other than what would be normally expected due to environment.

8800187

Item 14

Exhibit B: Novelty Statement

CX458 most closely resembles Asgrow A4595; however, CX458 has brown pods whereas, Asgrow 4595 has tan pods. CX458 has a better lodging score than Asgrow A4595. 1.5 versus 2.8 (significant at the .01 probability level) Asgrow A2943 also contains the RPS1A allele for phytophthora root rot resistance while CX458 does not have the RPS1A allele.

Trait	CX458	Asgrow A4595
Phytophthora Root Rot	Susceptible	RPS1A
Pod color	Brown	Tan
Seed size (gram/100 seeds)	16	15
Plant Heights (cm)	104	107
Plant type	Intermediate	Bush
Lodging	1.5	2.8**
(1-5; 1=Best)		

\*\*Significantly different at the .01 probability level

U.S. DEPARTMENT OF AGRICULTURE  
AGRICULTURAL MARKETING SERVICE  
LIVESTOCK, MEAT, GRAIN & SEED DIVISION  
PLANT VARIETY PROTECTION OFFICE  
BELTSVILLE, MARYLAND 20705

EXHIBIT C  
(Soybean)

OBJECTIVE DESCRIPTION OF VARIETY  
SOYBEAN (*Glycine max* L.)

NAME OF APPLICANT(S) Dekalb-Pfizer Genetics	TEMPORARY DESIGNATION	VARIETY NAME CX458
ADDRESS (Street and No., or R.F.D. No., City, State, and Zip Code) 3100 Sycamore Road Dekalb, IL 60115		FOR OFFICIAL USE ONLY PVPO NUMBER 8800187

Choose the appropriate response which characterizes the variety in the features described below. When the number of significant digits in your answer is fewer than the number of boxes provided, place a zero in the first box when number is 9 or less (e.g.,  ). Starred characters ★ are considered fundamental to an adequate soybean variety description. Other characters should be described when information is available.

1. SEED SHAPE:



1 = Spherical (L/W, L/T, and T/W ratios = < 1.2)  
3 = Elongate (L/T ratio > 1.2; T/W = < 1.2)

2 = Spherical Flattened (L/W ratio > 1.2; L/T ratio = < 1.2)  
4 = Elongate Flattened (L/T ratio > 1.2; T/W > 1.2)

★ 2. SEED COAT COLOR: (Mature Seed)

1 = Yellow

2 = Green

3 = Brown

4 = Black

5 = Other (Specify) \_\_\_\_\_

3. SEED COAT LUSTER: (Mature Hand Shelled Seed)

1 = Dull ('Corsoy 79'; 'Braxton')

2 = Shiny ('Nebsoy'; 'Gasoy 17')

★ 4. SEED SIZE: (Mature Seed)

Grams per 100 seeds

★ 5. HILUM COLOR: (Mature Seed)

1 = Buff

2 = Yellow

3 = Brown

4 = Gray

5 = Imperfect Black

6 = Black

7 = Other (Specify) \_\_\_\_\_

★ 6. COTYLEDON COLOR: (Mature Seed)

1 = Yellow

2 = Green

★ 7. SEED PROTEIN PEROXIDASE ACTIVITY:

1 = Low

2 = High

★ 8. SEED PROTEIN ELECTROPHORETIC BAND:

1 = Type A (SP1<sup>a</sup>)

2 = Type B (SP1<sup>b</sup>)

★ 9. HYPOCOTYL COLOR:

1 = Green only ('Evans'; 'Davis')

2 = Green with bronze band below cotyledons ('Woodworth'; 'Tracy')

3 = Light Purple below cotyledons ('Beeson'; 'Pickett 71')

4 = Dark Purple extending to unifoliate leaves ('Hodgson'; 'Coker Hampton 266A')

★ 10. LEAFLET SHAPE:

1 = Lanceolate

2 = Oval

3 = Ovate

4 = Other (Specify) \_\_\_\_\_

## 11. LEAFLET SIZE:

☐ 21 = Small ('Amsoy 71'; 'A5312')  
3 = Large ('Crawford'; 'Tracy')

2 = Medium ('Corsoy 79'; 'Gasoy 17')

## 12. LEAF COLOR:

☐ 21 = Light Green ('Weber'; 'York')  
3 = Dark Green ('Gnome'; 'Tracy')

2 = Medium Green ('Corsoy 79'; 'Braxton')

## ★ 13. FLOWER COLOR:

☐ 1

1 = White

2 = Purple

3 = White with purple throat

## ★ 14. POD COLOR:

☐ 2

1 = Tan

2 = Brown

3 = Black

## ★ 15. PLANT PUBESCENCE COLOR:

☐ 2

1 = Gray

2 = Brown (Tawny)

## 16. PLANT TYPES:

☐ 21 = Slender ('Essex'; 'Amsoy 71')  
3 = Bushy ('Gnome'; 'Govan')

2 = Intermediate ('Amcor'; 'Braxton')

## ★ 17. PLANT HABIT:

☐ 3

1 = Determinate ('Gnome'; 'Braxton')

2 = Semi-Determinate ('Will')

3 = Indeterminate ('Nebsoy'; 'Improved Pelican')

## ★ 18. MATURITY GROUP:

☐ 0 ☒ 11 = 000  
9 = VI

2 = 00

10 = VII

3 = 0

11 = VIII

4 = I

12 = IX

5 = II

13 = X

6 = III

7 = IV

8 = V

## ★ 19. DISEASE REACTION: (Enter 0 = Not Tested; 1 = Susceptible; 2 = Resistant)

## BACTERIAL DISEASES:

★

☐ 0Bacterial Pustule (*Xanthomonas phaseoli* var. *sojensis*)

★

☐ 0Bacterial Blight (*Pseudomonas glycinea*)

★

☐ 0Wildfire (*Pseudomonas tabaci*)

## FUNGAL DISEASES:

★

☐ 0Brown Spot (*Septoria glycines*)Frogeye Leaf Spot (*Cercospora sojae*)

★

☐ 0

Race 1

☐

Race 2

☐

Race 3

☐

Race 4

☐


Race 5

☐

Other (Specify)

☐ 0Target Spot (*Corynespora cassiicola*)☐ 0Downy Mildew (*Peronospora trifoliorum* var. *manshurica*)☐ 0Powdery Mildew (*Microsphaera diffusa*)

★

☐ 0Brown Stem Rot (*Cephalosporium gregatum*)☐ 0Stem Canker (*Diaporthe phaseolorum* var. *caulivora*)

## 19. DISEASE REACTION: (Enter 0 = Not Tested; 1 = Susceptible; 2 = Resistant) (Continued)

## FUNGAL DISEASES: (Continued)

- ★ ☐ 1 Pod and Stem Blight (*Diaporthe phaseolorum* var. *sojae*)
- ☐ 0 Purple Seed Stain (*Cercospora kikuchii*)
- ☐ 0 Rhizoctonia Root Rot (*Rhizoctonia solani*)
- Phytophthora Rot (*Phytophthora megasperma* var. *sojae*)
- ★ ☐ Race 1 ☐ Race 2 ☐ Race 3 ☐ Race 4 ☐ Race 5 ☐ Race 6 ☐ Race 7
- ☐ Race 8 ☐ Race 9 ☐ Other (Specify) No specific resistance but good tolerance

## VIRAL DISEASES:

- ☐ 0 Bud Blight (Tobacco Ringspot Virus)
- ☐ 0 Yellow Mosaic (Bean Yellow Mosaic Virus)
- ★ ☐ 0 Cowpea Mosaic (Cowpea Chlorotic Virus)
- ☐ 0 Pod Mottle (Bean Pod Mottle Virus)
- ★ ☐ 0 Seed Mottle (Soybean Mosaic Virus)

## NEMATODE DISEASES:

- Soybean Cyst Nematode (*Heterodera glycines*)
- ★ ☐ 0 Race 1 ☐ 0 Race 2 ☐ 1 Race 3 ☐ 0 Race 4 ☐ Other (Specify) \_\_\_\_\_
- ☐ 0 Lance Nematode (*Hoplolaimus Colombus*)
- ★ ☐ 0 Southern Root Knot Nematode (*Meloidogyne incognita*)
- ★ ☐ 0 Northern Root Knot Nematode (*Meloidogyne Hapla*)
- ☐ 0 Peanut Root Knot Nematode (*Meloidogyne arenaria*)
- ☐ 0 Reniform Nematode (*Rotylenchulus reniformis*)
- ☐ OTHER DISEASE NOT ON FORM (Specify): \_\_\_\_\_

## 20. PHYSIOLOGICAL RESPONSES: (Enter 0 = Not Tested; 1 = Susceptible; 2 = Resistant)

- ★ ☐ 0 Iron Chlorosis on Calcareous Soil
- ☐ Other (Specify) \_\_\_\_\_

## 21. INSECT REACTION: (Enter 0 = Not Tested; 1 = Susceptible; 2 = Resistant)

- ☐ 0 Mexican Bean Beetle (*Epilachna varivestis*)
- ☐ 0 Potato Leaf Hopper (*Empoasca fabae*)
- ☐ Other (Specify) \_\_\_\_\_

## 22. INDICATE WHICH VARIETY MOST CLOSELY RESEMBLES THAT SUBMITTED.

CHARACTER	NAME OF VARIETY	CHARACTER	NAME OF VARIETY
Plant Shape	Asgrow 4595	Seed Coat Luster	Asgrow 4595
Leaf Shape	Asgrow 4595	Seed Size	Asgrow 4595
Leaf Color	Asgrow 4595	Seed Shape	Asgrow 4595
Leaf Size	Asgrow 4595	Seedling Pigmentation	Asgrow 4595



## 23. GIVE DATA FOR SUBMITTED AND SIMILAR STANDARD VARIETY: Paired Comparison Data


VARIETY	NO. OF DAYS MATURITY	PLANT LODGING SCORE **	CM PLANT HEIGHT	LEAFLET SIZE		SEED CONTENT		SEED SIZE G/100 SEEDS	NO. SEEDS/POD
				CM Width	CM Length	% Protein	% Oil		
CX458 Submitted	273	1.5	104					16	
Asgrow4595 Name of Similar Variety	272	2.8	107					15	

## PUBLICATIONS USEFUL AS REFERENCE AIDS FOR COMPLETING THIS FORM:

1. Caldwell, B.E., ed. 1973. Soybeans: Improvement, Production, and Uses. Amer. Soc. Agron. Monograph No. 16.
2. Buttery, B.R. and R.I. Buzzell. 1968. Peroxidase activity in seeds of soybean varieties. Crop Sci., 8: 722-725.
3. Hymowitz, T. 1973. Electrophoretic analysis of SBTI-A<sub>2</sub> in the USDA soybean germplasm collection. Crop Sci., 13: 420-421.
4. Payne, R.C. and L.F. Morris. 1976. Differentiation of soybean cultivars by seedling pigmentation patterns. J. Seed Technol. 1: 1-19.

\*\* Significant differences between these two varieties at the 0.01 level of probability.

Note: A lodging score of '1' is best.



Item 14 Exhibit E

Statement of Ownership

Applicant is the owner of the variety.

The variety was developed by a breeder employed by the applicant.